



# METROPOLITAN POLICE DEPARTMENT STANDARD OPERATING PROCEDURES



## HANDLING FIRST AMENDMENT ASSEMBLIES AND MASS DEMONSTRATIONS

### Assembly or Demonstration Reportable Force Report

#### A. INCIDENT INFORMATION

IS NUMBER	INCIDENT DATE	INCIDENT TIME	RELATED INCIDENT CCN	DISTRICT	PSA
	5/30/20-5/31/20	2009-0310	[REDACTED]	1D/2D	101/207/209
EVENT/DETAIL		LOCATION OF REPORTED INCIDENT			FORCE USED?
Riot/Destruction of Property/APO/Burglary		21st and Constitution 75-17, 144 St NW, City Center Area, Downtown Area to include WH E/B to N Capital Street			<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
TYPE OF FORCE USED (CHECK ALL THAT APPLY)					
<input checked="" type="checkbox"/> CDU PROTECTIVE GEAR WORN	<input checked="" type="checkbox"/> MECHANICAL FORCE	<input checked="" type="checkbox"/> NONE/OTHER - SPECIFY:			
<input checked="" type="checkbox"/> PHYSICAL FORCE	<input checked="" type="checkbox"/> CHEMICAL FORCE	OC, CS, Singbat, Singbat Round, Rubber/Foam Baton, Direct Impact			
<input checked="" type="checkbox"/> OLEORESIN FORCE					

#### B. AUTHORIZING OFFICIAL

LAST NAME	FIRST NAME	RANK	CAD #
Glover	Robert	Inspector	[REDACTED]
ELEMENT		ASSIGNMENT	
Special Operations Division		Events	

#### C. GROUP/SUBJECT INFORMATION (use narrative section to capture information on additional subjects)

GROUP NAME OR SUBJECT NAME (LAST NAME, FIRST NAME)			
Antifa/BLM/Other			
ADDRESS		CITY	STATE ZIP
PHONE NUMBER	DOB	SEX	RACE
GROUP/SUBJECT ACTION (CHECK ONE)			
<input type="checkbox"/> RESISTANT (PASSIVE)		<input type="checkbox"/> ASSAULTIVE (PHYSICAL INJURY)	
<input type="checkbox"/> RESISTANT (ACTIVE)		<input checked="" type="checkbox"/> ASSAULTIVE (SERIOUS PHYSICAL INJURY/DEATH)	
GROUP/SUBJECT ACTIVITY (CHECK ALL THAT APPLY)			
<input checked="" type="checkbox"/> APO	<input type="checkbox"/> DANGEROUS ANIMAL	<input type="checkbox"/> FOOT PURSUIT	<input type="checkbox"/> VEHICLE PURSUIT
<input checked="" type="checkbox"/> ATTEMPT ARREST	<input checked="" type="checkbox"/> DISORDERLY CONDUCT	<input type="checkbox"/> HOSTAGE	<input checked="" type="checkbox"/> OTHER - SPECIFY: Arson, ADW, Riot
<input type="checkbox"/> ADW	<input type="checkbox"/> DEMONSTRATION	<input type="checkbox"/> LANDLORD/TENANT DISPUTE	
<input type="checkbox"/> ALCOHOL	<input type="checkbox"/> DEFENDING AN ASSAULT	<input type="checkbox"/> ROBBERY	
<input type="checkbox"/> BARRICADE	<input type="checkbox"/> DOMESTIC VIOLENCE	<input type="checkbox"/> SUICIDE ATTEMPT	
<input checked="" type="checkbox"/> BURGLARY	<input type="checkbox"/> DRUGS	<input type="checkbox"/> TRANSPORTING	
<input checked="" type="checkbox"/> CROWD CONTROL	<input type="checkbox"/> DUI	<input type="checkbox"/> TRAFFIC STOP	

#### D. GROUP/SUBJECT WEAPON

WEAPON PRESENT	TYPE OF WEAPON	WEAPON RECOVERED
<input checked="" type="checkbox"/> YES	<input type="checkbox"/> FIREARM	<input checked="" type="checkbox"/> YES. PROVIDE DETAILS IN NARRATIVE
<input type="checkbox"/> NO	<input checked="" type="checkbox"/> BLUNT OBJECT: Bottles, Rocks, Cinder Blocks, Smoke, Fireworks, Poles, Wood, Redeployed Chemical Munitions	<input type="checkbox"/> NO
	<input type="checkbox"/> EDGED OBJECT	
	<input checked="" type="checkbox"/> OTHER - SPECIFY:	

E. NARRATIVE

On Saturday May 30, 2020 at approximately 2009 hours members of the Special Operations Division, Domestic Security Operations Unit, along with MPD Civil Disturbance Units were called to assist USPP at 21st and Constitution NW. USPP attempted an arrest and the crowd began assaulting the Officers, MPD deployed OC spray to disperse the crowd and prevent further assaultive and damaging behavior.

At 2100 hours, MPD established a CDU line at 16th and K Street to prevent the crowd from traveling southbound. This crowd was throwing rocks, bottles and other projectiles towards the MPD officers and causing significant property damage in the area and to multiple MPD cruisers. At 2118 hours CR50 authorized all MPD members to don riot protective gear due to the hostile crowd and the projectiles being thrown. At 2133 hours MPD pushed the crowd northbound through the intersection. The crowd continued their assaultive behavior and throwing projectiles at the officers. OC spray was deployed in order to distract and disperse the hostile crowd. Various District CDU squads used level one mechanical force to assist in moving this uncooperative crowd.

At 2215 hours, MPD established a CDU line at 17th and K Street to prevent the crowd from traveling eastbound. This crowd was throwing rocks, bottles and other projectiles towards the MPD officers and causing significant property damage in the area and to multiple MPD cruisers. At 2222 hours CR50 authorized the deployment of sting balls to disorient, disrupt, and distract the hostile crowd from advancing on and assaulting officers. Sting balls and other munitions were deployed at this location.

At 2308 hours, MPD established multiple CDU lines at 16th and I St NW to prevent the crowd from traveling northbound and eastbound. This crowd was throwing rocks, bricks, and other projectiles at MPD members and



E. NARRATIVE

causing significant property damage in the area. Two vehicles were started on fire in the 1600 Block of I St NW. A CDU line from 16th and I moved in the westbound direction in order to clear a safe path for DCFD to extinguish the vehicles and prevent any additional structure fires. The hostile crowd continued to throw projectiles at the officers as they pushed the crowd and formed a police line at Connecticut and I St NW. Munitions were deployed at the location to disperse and distract the crowd from causing further injury to MPD officers and prevent further property damage/fires. Multiple officers at this location were struck with bricks and other projectiles. Various District CDU squads used level one mechanical force to assist in moving this uncooperative crowd.

At 2325 hours, the hostile crowd at 16th and I Street NW were continuously throwing rocks, bottles, fireworks, and other projectiles at the CDU line at 16th and I Street NW that was blocking northbound. This crowd was also causing significant property damage to in the area. Munitions were deployed to disperse the crowd and prevent further injuries and property damage. At 2336 hours the crowd at 16th and I lit a dumpster on fire and pushed it at the CDU line. At 2339 hours there were reports of a structure fire at 888 16th Street NW. The CDU line at 16th and I NW pushed the crowd in the southbound direction to push past the building fire to create a path for DCFD to extinguish the fire. Munitions were deployed to disperse the crowd as they continued their riotous behavior and continued to assault the officers and strike the officers with multiple projectiles. Various District CDU squads used level one mechanical force to assist in moving this uncooperative crowd.

At 2345 hours, MPD established two CDU lines at 16th and H Street NW to split the group into more manageable sizes. One line pushed eastbound to Vermont Street NW and the other line pushed westbound to 18th Street,

E. NARRATIVE

NW. While completing this objective the crowd continued their hostile and riotous actions. When the eastbound CDU was marching the crowd was throwing rocks, bricks, smoke bombs, and one MPD member fell to the ground with a broken leg caused by the assaultive behavior. The crowd at this time threw a burning munition back towards the CDU line. Munitions were deployed to secure the line and prevent further injuries and significant property damage. The westbound CDU line was also experiencing similar assaultive and riotous behavior and munitions were deployed on the west side to disperse the crowd and prevent further injuries and significant property damage. Various District CDU squads used level one mechanical force to assist in moving this uncooperative crowd.

From approximately 0030 hours to 0430 hours there were continuous reports of hostile crowds breaking into businesses in the downtown area. DSO responded to multiple locations in the areas of 17th Street to 10th Street NW, Pennsylvania Avenue to K Street NW. Especially in the area of the City Center shopping plaza. Also in this area there were multiple fires started, storefront windows broken, burglaries, and vehicles (MPD and non MPD) vandalized.

At 0054 hours members of DSO responded to the area of 1200 H St NW (City Center) and observed approximately 200-300 looters/rioters in the area of the City Center Plaza. This hostile crowd began throwing multiple projectiles at the officers to include rocks and bottles. Munitions were deployed to prevent injuries and further property damage and burglaries.

At 0158 hours there was a large hostile crowd that was looting area businesses and was headed to the Walmart at 99 H Street NE. Munitions were deployed to disperse the hostile crowd and prevent further property



E. NARRATIVE

damage and burglaries.

At 0238 hours, MPD members were affecting an arrest of a Burglary Suspect in the park located at 14th and K Street NW. Once the suspect was placed under arrest the crowd began to run at the officers in the park while screaming and yelling, ignoring commands to disperse. OC Spray was deployed to disperse the crowd and prevent any injuries to MPD officers.

On Saturday May 30 2020 into the morning of Sunday May 31 2020, MPD Officers suffered many injuries to include but not limited to: broken leg, abrasions, cuts, and bruises. Multiple MPD Officers report being struck with rocks, bricks, bottles, glass, and other blunt objects. No subjects of arrest or public reported any injuries related to MPD Use of Force at the time.


The following munitions were deployed by DSO: OC Stingballs, 40mm Stingballs, 40mm Rubber Baton, 40mm Foam Baton, 40mm Direct Impact, 40mm Aerial Bursts, 40mm OC Skat Rounds, OC Triple Chaser, CS Triple Chaser.

F. INVOLVED MEMBERS (space allotted for up to one full platoon, use additional sheets to capture more members, if necessary)

#1 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
#2 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
#3 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
#4 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
#5 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
#6 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
#7 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
#8 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
#9 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
#10 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
Glover	Robert	Inspector	[REDACTED]	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
#11 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO
#12 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO
#13 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO
#14 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO
#15 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO
#16 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO
#17 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO
#18 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO
#19 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO
#20 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO
#21 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO
#22 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO
#23 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO

#24 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
				<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO
#25 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
				<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO
#26 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
				<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO
#27 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
				<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO
#28 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
				<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO
#29 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
				<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO
#30 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
				<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO
#31 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
				<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO
#32 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
				<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO
#33 LAST NAME	FIRST NAME	RANK	CAD #	BWC EQUIPPED?	BWC ACTIVATED?
				<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO

**G. REVIEW**

REPORTING OFFICIAL PRINTED NAME	SIGNATURE	CAD NUMBER	DATE
[REDACTED]	[REDACTED]	[REDACTED]	7/1/20
INCIDENT COMMANDER (OR SOD/HSB OFFICIAL) PRINTED NAME	SIGNATURE	CAD NUMBER	DATE
Tracy R. T. Brown 260 4168		[REDACTED]	7/1/20